Lesson 8-2 Solving Two-Step Equations



See pages 171–172 for:

- Getting Started
- Real-World Link
- Notes



How are equations and inequalities used to describe and solve multi-step problems?



Content Standards 7.EE.4, 7.EE.4a, 8.EE.7, 8.EE.7b

Mathematical Practices 1, 3, 4, 7



two-step equation

What You'll Learn

Solve two-step equations.

• Solve real-world problems involving two-step equations.

📎 Real-World Link

Cheerleading Cheerleaders on a middle school squad must purchase cheer shoes for \$35, plus several pairs of white ankle socks. An equation involving two operations can be used to find the total cost.

Solve Two-Step Equations

A **two-step equation** contains two operations. To solve a two-step equation, use inverse operations to undo each operation in reverse order of the order of operations.

Tutor

Example 1

Solve 3a + 9 = 33. Check your solution.Method 1The Vertical Method3a + 9 = 33Write the equation.3a + 9 = 33Subtraction Property of Equalitya = 24Simplify.3a = 24Simplify. $\frac{3a}{3} = \frac{24}{3}$ Division Property of Equalitya = 8Simplify.

Method 2 The Horizontal Method

3a + 9 = 33	Write the equation.
3a + 9 - 9 = 33 - 9	Subtraction Property of Equality
3 <i>a</i> = 24	Simplify.
$\frac{3a}{3} = \frac{24}{3}$	Division Property of Equality
a = 8	Simplify.

Using either method, the solution is 8.

Check	3 a + 9 = 33	Write the equation.
	3 (8) + 9 ^² = 33	Replace <i>a</i> with 8.
	24 + 9 ^² = 33	Multiply.
	33 = 33 🗸	The sentence is true.

Got It? Do these problems to find out.

Solve each equation. Check your solution.

1a. 6*x* + 1 = 25 **4**

1b. 4x - 5 = -33 **-7**

333

Example 2

Properties of Equality

Recall that the Addition and Subtraction Properties of Equality state that the same number can be added to or subtracted from each side of an equation.

Solve $\frac{1}{5}p - 12 = 20$.	
$\frac{1}{5}p - 12 = 20$	Write the equation.
$\frac{1}{5}p - 12 + 12 = 20 + 12$	Addition Property of Equality
$\frac{1}{5}p = 32$	Simplify.
$5 \cdot \frac{1}{5}p = 5 \cdot 32$	Multiplication Property of Equality
<i>p</i> = 160	Simplify. Check your solution.

Gof If? Do these problems to find out.

2a.
$$8 = 15 + \frac{1}{3}n$$
 -21 2b. $-\frac{1}{6}x - 3 = 2$ **-30**

Example 3

Solve $9 - t = -34$.	
9 - t = -34	Write the equation.
9 - 1t = -34	Identity Property: $t = 1t$
9 + (-1t) = -34	Definition of Subtraction
-9 + 9 + (-1t) = -9 + (-34)	Addition Property of Equality
-1t = -43	Simplify.
$\frac{-1t}{-1} = \frac{-43}{-1}$	Division Property of Equality
<i>t</i> = 43	Simplify. Check your solution.

Gof If? Do these problems to find out.

3a. -15 - b = 44 -59

3b. -6.5 = -4.3 - n **2.2**

Example 4

Distributive Property

You use the Distributive Property to mentally simplify 2x + x. 2x + 1x = (2 + 1)x= 3x

Solve $2x + x - 27 = 3$.	
2x + x - 27 = 3	Write the equation.
2x + 1x - 27 = 3	Identity Property; $x = 1x$
3x - 27 = 3	Distributive Property; $2x + 1x = (2 + 1)x$ or $3x$
3 <i>x</i> − 27 + 27 = 3 + 27	Addition Property of Equality
3x = 30	Simplify.
$\frac{3x}{3} = \frac{30}{3}$	Division Property of Equality
<i>x</i> = 10	Simplify. Check your solution.

Got It? Do these problems to find out.

4a. 4 - 9c + 3c = 58 -9

334

Watch Tutor

Tutor

Tutor

Solve Real-World Problems

You can write and solve two-step equations to solve many real-world problems.



Deon wants to go on a camping trip with his hiking club. The trip costs \$185.75. He paid a deposit of \$45.75 and will save an additional \$17.50 per week to pay for the trip. Solve 45.75 + 17.50w = 185.75 to find the number of weeks Deon will need to save money for the trip.

 45.75 + 17.50w = 185.75 Write the equation.

 45.75 - 45.75 + 17.50w = 185.75 - 45.75 Subtraction Property of Equality

 17.50w = 140 Simplify.

 $\frac{17.50w}{17.50} = \frac{140}{17.50}$ Division Property of Equality

 w = 8 Simplify. Check your solution.

Deon will need to save for 8 weeks.

Got It? Do this problem to find out.

5. Salvatore purchased a computer for \$682.20. He paid \$105.40 initially and will pay \$20.60 per month until the computer is paid off. Solve 105.40 + 20.60x = 682.20 to find the number of months Salvatore will make payments for the computer.

28 months

Check

Tutor

Guided Practice

Solve each equation. Check your solution. (Examples 1 and 2)

1. $4p + 9 = 25$ 4	2. $-2x + 1 = 7$ -3	3. $5y - 3 = -23 - 4$
4. 17 = 7 <i>x</i> − 4 3	5. $-4 = 8m - 12$ 1	6. $-13 = 5 - 3z$ 6
7. $\frac{1}{4}p - 6 = -8$ -8	8. $-\frac{1}{6}t + 1 = 3$ –12	9. $-\frac{1}{2}r - 12 = -27$ 30
10. $\frac{1}{2}g + 6 = 4$ 4	11. $-\frac{1}{8}x - 5 = -1$ -32	12. $9 = 4 + \frac{1}{5}q$ 25
Solve each equation. Check your s	solution. (Examples 3 and 4)	
13. $-7 - 8d = 17$ -3	14. $23 - 2c = 41 - 9$	15. $1 - 2k = -9$ 5
16. 12 − <i>m</i> = −7 19	17. $14 = 6 - x - 8$	18. $-6 = 4 - 5b$ 2
19. $-4 = 8y - 9y + 6$ 10	20. $-1.3j + 0.4 = -1.16$ 1.2	21. 1.1 - <i>t</i> + 2.2 <i>t</i> = 5.9 4
22. $5m + 4 - 7m = 10$ – 3	23. $\frac{1}{3}p + 6 - \frac{2}{3}p = 0$ 18	24. 7.8 = 3 + 0.1 <i>n</i> + 0.7 <i>n</i> 6

- 25. Kaleigh has \$25. She plans to save \$7.50 each week. Solve 25 + 7.50w = 250 to find the number of weeks it will take Kaleigh to save \$250. (Example 5) 30 weeks
- **26.** A caterer is preparing a dinner for a party. She charges a flat fee of \$16 plus \$8.25 per person. Solve 16 + 8.25p = 131.50 to find the number of people at a dinner that costs \$131.50. (Example 5) **14 people**

Independent Practice

Solve each equation. Check your solution. (Examples 1 and 2)

28. 3b + 15 = 27 **4 31.** $\frac{1}{2}g + 4 = 2$ -6

37. $\frac{1}{8}y - \frac{1}{2} = \frac{7}{8}$ **11**

27. 5a + 3 = 28 **5 30.** 25 = 2c - 9 **17 34.** $20 = \frac{1}{5}m + 12$ **40 33.** $-16 = \frac{1}{2}k - 7$ **-18 36.** 3.6 = 2x + 1.8 **0.9**

Solve each equation. Check your solution. (Examples 3 and 4)

39. 46 − 8 <i>x</i> = −18 8	40. $y - 7y + 6 = 30 - 4$
42. $14 = -\frac{1}{3}s - 8$ -66	43. $x + 7 - 2x = 18$ -11
45. $5.5 - 5x = 4$ 0.3	46. $6 = 8.1 - 3x$ 0.7
48. $m - 5 - 6m = 0$ –1	49. 19 = 3 − 3 <i>d</i> − 5 <i>d</i> −2

- 51. Financial Literacy The cost of a family membership at a health club is shown at the right. The Johnson family budgets \$800 to use the health club. Solve 125 + 45f = 800 to find the number of months the family can use the club. (Example 5) 15 months
- 52. The second book in a fantasy series is 112 pages longer than the first book. The total number of pages in both books is 524. Solve the equation b + b + 112 = 524

to find the number of pages b in the first book. (Example 5) 206 pages

- 53. STEM Draven's computer downloads files at a rate of 220 kilobytes per second. The computer has already downloaded the first 550 kilobytes of a 2310-kilobyte file. Solve the equation 550 + 220s = 2310 to find the number of seconds it will take to download the rest of the file. (Example 5) 8 s
- 54. The perimeter of the triangle in the figure is 22 inches. Solve the equation x + x + 3 + 9 = 22 to find the length x of the shortest side of the triangle. (Example 5) **5 in.**



56. Aaron has a piece of yarn that is 15 inches long. For an art project, he cut off 3 pieces of yarn of equal length. This left him with $4\frac{1}{2}$ inches of yarn. Solve the equation $3p + 4\frac{1}{2} = 15$ to find the length of each piece of yarn that Aaron will use in the art project. (Example 5) $3\frac{1}{2}$ in.

B Solve each equation. Check your solution.

57. 6.1 <i>e</i> + 1.07 = 9 1.3	58. $-2.5c + 6.7 = -1.3$ 3.2	59. $\frac{2}{3} - 6y = -1\frac{5}{6} + \frac{5}{12}$	
60. $\frac{3}{4}x + 1.5 = 2.7$ 1.6	61. $-\frac{1}{4}f + 20.5 = 12.9$ 30.4	62. 54.8 $-\frac{1}{5}d = 60.1$ -26.5	336

Go online for Step-by-Step Solutions

2
$$4d - 18 = -34$$
 -4
3 $\frac{1}{9}h - 3 = 2$ 45
3 $\frac{1}{9}h - 20 = -1$ 76
3 $\frac{1}{4}t + 1 = 2\frac{1}{4}$ 5

41.	$-7 = -\frac{1}{5}p - 1$ 30
44.	46 − 3 <i>n</i> = −23 23
47.	8.4 - 3x - x = 2 1.6
50.	0 = t + 4 - 9t 0.5





eHeln

[63] Janelle and some of her friends went to the movies. Tickets cost \$6 per person, and they each received a \$1.50 student discount. Each girl also purchased a snack for 2.25. The total cost was 40.50. Solve the equation 6s - 1.5s + 2.25s = 40.50 to find how many girls went to the movies. 6 girls

Solve each equation. Check your solution.

64.
$$\frac{3x}{2} + 4x = 22$$
 4
66. $\frac{x}{2} + \frac{5x}{6} + \frac{x}{4} = 380$ **240**

ple Representations In this
but will investigate a function.
is installing a fence around
of her backyard as shown at
the equation
$$2w + 24 = f$$

65.
$$40.77 = \frac{y}{5} + 2.4y + \frac{y}{10}$$
 15.1
67. $\frac{-2x+5}{2} = 17$ -14.5





- a. Table Make a function table to show the amount of fencing needed for widths of 12, 15, and 18 feet. See margin.
- b. Symbols Find the width of the fenced area if Tia has 92 feet of fencing. 34 ft

69. Sample answer: You spent \$7 at the bookstore and bought lunch for 2 days. You spent a total of \$15. How much was lunch? \$4

H.O.T. Problems Higher Order Thinking

- 69. Write a real-world example that could be solved by using the equation 2x + 7 = 15. Then solve the equation.
 - 70. 6 Persevere with Problems The model at the right represents the equation 6y + 1 = 3x + 1. What is the value of x? 2y



- 71. Identify Structure Write a two-step equation that can be solved using the Subtraction Property of Equality and the Multiplication Property of Equality. Show how to use these properties to solve the equation. See Answer Appendix.
- **72. (66)** Find the Error Toshiro is solving the equation 7 2x = -51. Find his mistake and correct it. He should have subtracted 7 from both sides. The correct answer is x = 29.

```
7 - 2x = -51
7 + 7 - 2x = -51 + 7
           2x = -44
           \frac{2 \times x}{2} = \frac{-44}{2}
             x = -22
```

73. Wilding on the Essential Question Evaluate 3(2) + 5. Then solve the equation 3x + 5 = 11. How are the problems and solutions similar? How are they different? See Answer Appendix.